



Green Pin® Fishing Dee Shackle SQ

Dee shackle with square headed screw pin



Highlights

- ✓ Square head on screw pin fits commonly used tools on fishing ships
- ✓ Galvanization assures long-term durability
- ✓ Suitable for one-leg systems only
- ✓ Chamber in the shackle eye hides the screw thread and reduces wear
- ✓ Superior stock availability of 99%

Description

The Green Pin® Fishing Dee Shackle SQ is a bow shackle with a square headed screw pin. The square head fits commonly used tools on fishing ships. Galvanization of the Green Pin® Fishing Dee Shackle SQ ensures its long-term durability. Also, there is a chamber in the shackle eye of the Green Pin® Fishing Dee Shackle SQ which hides the screw thread and reduces wear of rope. The Green Pin® Fishing Dee Shackle SQ is suitable for one-leg lifting systems only and is available in a range with a working load limit from 2 up to 25 ton.

Product details

Productcode	G-4154
Material	bow and pin high tensile steel, Grade 6, quenched and tempered
Safety factor	MBL equals 6 x WLL
Finish	hot dipped galvanized
Certification	2.1 2.2 3.1 MTCa CE
Standard	EN 13889 and meets performance requirements of US Fed. Spec. RR-C-271, Grade A

www.greenpin.com



Green Pin® Fishing Dee Shackle SQ

Technical specifications in millimeters

Article code	working load limit	Net weight	A diameter bow	B diameter pin	C diameter eye	D width eye	E width inside	F length inside	G length	H length bolt	I width bolt head	Net weight (kg)
GPGDVK13	2	0.32	13,5	16	34	13	22	43	82	57,5	22	0.32
GPGDVK16	3,25	0.58	16	19	40	16	27	51	97	71	27	0.58
GPGDVK19	4,75	0.92	19	22	46	19	31	59	112	82	32	0.92
GPGDVK22	6,5	1.33	22	25	52	22	36	73	134	93	32	1.33
GPGDVK25	8,5	2.03	25	28	59	25	43	85	154	108	36	2.03
GPGDVK28	9,5	2.75	28	32	67	28	47	90	168	120	41	2.75
GPGDVK32	12	3.96	32	35	73	32	51	94	180	137	50	3.96
GPGDVK35	13,5	5.03	35	38	79	35	57	115	209	149	50	5.03
GPGDVK38	17	6.80	38	42	88	38	60	127	230	164	60	6.80
GPGDVK45	25	11.2	45	50	104	45	74	149	271	192	60	11.2



Green Pin® Fishing Dee Shackle SQ

Technical specifications in inches

Article code	Net weight	A diameter bow (inch)	B diameter pin (inch)	C diameter eye (inch)	D width eye (inch)	E width inside (inch)	F length inside (inch)	G length (inch)	H length bolt (inch)	I width bolt head (inch)	Net weight (LBS)
GPGDVK13	0.70	1/2	5/8	1 11/32	1/2	7/8	1 11/16	3 7/32	2 1/4	7/8	0.70
GPGDVK16	1.28	5/8	3/4	1 9/16	5/8	1 1/16	2	3 13/16	2 25/32	1 1/16	1.28
GPGDVK19	2.04	3/4	7/8	1 13/16	3/4	1 7/32	2 5/16	4 13/32	3 7/32	1 1/4	2.04
GPGDVK22	2.94	7/8	1	2 1/16	7/8	1 13/32	2 7/8	5 9/32	3 21/32	1 1/4	2.94
GPGDVK25	4.48	1	1 1/8	2 5/16	31/32	1 11/16	3 11/32	6 1/16	4 1/4	1 13/32	4.48
GPGDVK28	6.06	1 1/8	1 1/4	2 5/8	1 3/32	1 27/32	3 17/32	6 9/16	4 23/32	1 5/8	6.06
GPGDVK32	8.72	1 1/4	1 3/8	2 7/8	1 1/4	2	3 11/16	7 3/32	5 13/32	1 31/32	8.72
GPGDVK35	11.1	1 3/8	1 1/2	3 1/8	1 3/8	2 1/4	4 17/32	8 7/32	5 7/8	1 31/32	11.1
GPGDVK38	15.0	1 1/2	1 5/8	3 15/32	1 1/2	2 3/8	5	9 1/16	6 15/32	2 3/8	15.0
GPGDVK45	24.8	1 3/4	2	4 3/32	1 25/32	2 29/32	5 7/8	10 21/32	7 9/16	2 3/8	24.8

www.greenpin.com



Green Pin® Fishing Dee Shackle SQ

Technical drawing

