



Green Pin® Excavator Hook

Grade 8 excavator hook



Highlights

- ✓ Reliable Green Pin® quality and support
- ✓ Superior stock availability of 99%

Description

The Green Pin® Excavator Hook is a grade 8 excavator hook. These hooks are welded directly to the booms of bucket or crane loaders. (Welding instructions are supplied with each hook). Note: Lifting with the teeth of an excavator is not allowed. These hooks can also be welded on a beam to create a lifting beam. The large surface with chamfer makes the welding easy and safe. Latches are fitted as standard, to prevent accidental unhooking. The Green Pin® Excavator Hook is available in a range with a working load limit from 1 t. up to 15 t.

Product details

Productcode	GH
Material	alloy steel, Grade 8, quenched and tempered
Safety factor	MBL equals 4 x WLL
Finish	painted white
Certification	2.1 2.2 MTCa MPIb
Note	welding must be done in accordance with DIN 5817 resp. 15429, by a qualified welder according to EN 287-1

www.greenpin.com



Green Pin® Excavator Hook

Technical specifications in millimeters

Article code	working load limit	A width	B length	C opening hook	D thickness	E width	F length	G width	H width	Net weight (kg)
GPGH1	1	72	78	25	19	28	108	31	26	0.52
GPGH10	10	178	197	60	46	61	227	50	66	6.44
GPGH15	15	185	223	65	60	70	251	55	80	9.70
GPGH2	2	91	83	33	20	28	113	31	34	0.75
GPGH3	3	105	105	33	26	32	128	31	34	1.15
GPGH4	4	121	130	35	27	36	148	40	38	1.66
GPGH5	5	138	149	43	28	45	166	40	44	2.50
GPGH8	8	145	148	43	41	52	173	40	51	3.32



Green Pin® Excavator Hook

Technical specifications in inches

Article code	working load limit	A width (inch)	B length (inch)	C opening hook (inch)	D thickness (inch)	E width (inch)	F length (inch)	G width (inch)	H width (inch)	Net weight (LBS)
GPGH1	1	2 27/32	3 3/16	31/32	3/4	1 3/32	4 1/4	1 7/32	1 1/32	1.16
GPGH10	10	7	7 3/4	2 3/8	1 13/16	2 13/32	8 15/16	1 31/32	2 19/32	14.2
GPGH15	15	7 9/32	8 25/32	2 9/16	2 3/8	2 3/4	9 7/8	2 5/32	3 5/32	21.4
GPGH2	2	3 19/32	3 9/32	1 5/16	25/32	1 3/32	4 7/16	1 7/32	1 11/32	1.66
GPGH3	3	4 1/8	4 1/8	1 5/16	1 1/32	1 1/4	5 1/32	1 7/32	1 11/32	2.54
GPGH4	4	4 3/4	5 1/8	1 3/8	1 1/16	1 13/32	5 13/16	1 9/16	1 1/2	3.66
GPGH5	5	5 7/16	5 7/8	1 11/16	1 3/32	1 25/32	6 17/32	1 9/16	1 23/32	5.52
GPGH8	8	5 23/32	5 13/16	1 11/16	1 5/8	2 2/16	6 13/16	1 9/16	2	7.32



Green Pin[®] Excavator Hook

Technical drawing

