



Green Pin® Self Locking Hook CL

Grade 8 clevis self locking hook



Highlights

- ✓ Reliable Green Pin® quality and support
- ✓ Superior stock availability of 99%

Description

The Green Pin® Self-Locking Hook CL is a grade 8 clevis self-locking hook. The self-locking hook locks automatically as soon as it is brought under tension. To release the load the user must manually unlock the hook, which prevents unintended release. This hook brings a full safety for lifting as the latch cannot be removed. The GK hook is a compact, lightweight hook. In comparison to an XL hook, it has the same working load limit, with a smaller size. The clevis design enables a direct connection to grade 8 chain. The Green Pin® Self-Locking Hook CL is available in a range to suit 7/8 mm up to 22 mm grade 8 chain.

Product details

Productcode	GKC
Material	alloy steel, Grade 8, quenched and tempered
Safety factor	MBL equals 4 x WLL
Finish	painted white
Certification	2.1 2.2 MTCa MPIb



Green Pin® Self Locking Hook CL

Technical specifications in millimeters

Article code	working load limit	for chain diameter	A length	B width	C opening hook	D thickness	E width	F width outside	G width outside	H length	I diameter pin	Net weight (kg)
GPGKC1	2	7 - 8	96	9	32	17	24	32	75	136	9	0.55
GPGKC2	3,2	10	117	12	44	24	28	42	91	167	13	1.02
GPGKC3	5,4	13	153	15	48	32	33	54	111	217	16	2.01
GPGKC4	8,2	16	175	18	63	37	42	68	141	253	20	3.70
GPGKC5	12,8	18 - 20	216	22	75	44	55	82	184	316	24	7.54
GPGKC6	15,5	22	243	25	90	52	61	97	205	351	28	10.3

www.greenpin.com



Green Pin® Self Locking Hook CL

Technical specifications in inches

Article code	working load limit	for chain diameter (inch)	A length (inch)	B width (inch)	C opening hook (inch)	D thickness (inch)	E width (inch)	F width outside (inch)	G width outside (inch)	H length (inch)	I diameter pin (inch)	Net weight (LBS)
GPGKC1	2	1/4 - 5/16	3 25/32	11/32	1 1/4	21/32	15/16	1 1/4	2 15/16	5 11/32	11/32	1.21
GPGKC2	3,2	3/8	4 19/32	15/32	1 23/32	15/16	1 3/32	1 21/32	3 19/32	6 9/16	1/2	2.25
GPGKC3	5,4	1/2	6 1/32	19/32	1 7/8	1 1/4	1 5/16	2 1/8	4 3/8	8 17/32	5/8	4.43
GPGKC4	8,2	5/8	6 7/8	23/32	2 15/32	1 15/32	1 21/32	2 11/16	5 9/16	9 31/32	25/32	8.15
GPGKC5	12,8	3/4	8 1/2	7/8	2 15/16	1 23/32	2 5/32	3 7/32	7 1/4	12 7/16	15/16	16.6
GPGKC6	15,5	7/8	9 9/16	31/32	3 17/32	2 1/16	2 13/32	3 13/16	8 1/16	13 13/16	1 3/32	22.7

www.greenpin.com



Green Pin® Self Locking Hook CL

Technical drawing

