



Green Pin® Pear Shaped Link GR8 EN 1677-4

Grade 8 pear shaped link EN 1677-4



Highlights

- ✓ Reliable Green Pin® quality and support
- ✓ Superior stock availability of 99%

Description

The Green Pin® Pear Shaped Link EN 1677-4 is a grade 8 pear shaped link according to European standard for components for sling EN 1677-4. The pear shape link is designed for use in a one leg sling. The clevis eliminates the need for a connecting link. The Green Pin® Pear Shaped Link EN 1677-4 is available in a range to suit 5 mm up to 18/20 mm grade 8 chain.

Product details

Productcode	MP
Material	alloy steel, Grade 8, quenched and tempered
Safety factor	MBL equals 4 x WLL
Finish	painted white
Certification	2.1 2.2 3.1 MTCa MPIb
Standard	EN 1677-4

www.greenpin.com



Green Pin® Pear Shaped Link GR8 EN 1677-4

Technical specifications in millimeters

Article code	working load limit	for chain diameter	A length	B diameter pin	C width	D length inside	E width inside	F length	G width outside	Net weight (kg)
GPMP5	0,8	5	85	6	7	64	33	109	55	0.14
GPMP6	1,12	6	84	8	7	64	33	109	55	0.14
GPMP7/8	2	7 - 8	101	9	9	77	40	132	69	0.35
GPMP10	3,2	10	125	13	12	97	50	165	84	0.76
GPMP13	5,4	13	161	16	15	125	66	213	110	1.61
GPMP16	8,2	16	198	20	19	154	84	262	140	3.05
GPMP18/20	12,8	18 - 20	253	24	23	198	104	331	166	4.28

www.greenpin.com



Green Pin® Pear Shaped Link GR8 EN 1677-4

Technical specifications in inches

Article code	working load limit	for chain diameter (inch)	A length (inch)	B diameter pin (inch)	C width (inch)	D length inside (inch)	E width inside (inch)	F length (inch)	G width outside (inch)	Net weight (LBS)
GPMP5	0,8	3/16	3 11/32	1/4	9/32	2 17/32	1 5/16	4 9/32	2 5/32	0.31
GPMP6	1,12	7/32	3 5/16	5/16	9/32	2 17/32	1 5/16	4 9/32	2 5/32	0.31
GPMP7/8	2	1/4"-5/16	3 31/32	11/32	11/32	3 1/32	1 9/16	5 3/16	2 23/32	0.77
GPMP10	3,2	3/8	4 29/32	1/2	15/32	3 13/16	1 31/32	6 1/2	3 5/16	1.68
GPMP13	5,4	1/2	6 11/32	5/8	19/32	4 29/32	2 19/32	8 3/8	4 11/32	3.55
GPMP16	8,2	5/8	7 25/32	25/32	3/4	6 1/16	3 5/16	10 5/16	5 1/2	6.73
GPMP18/20	12,8	3/4	9 31/32	15/16	29/32	7 25/32	4 3/32	13 1/32	6 17/32	9.44

www.greenpin.com



Green Pin® Pear Shaped Link GR8 EN 1677-4

Technical drawing

