



Green Pin® Omega Link

Grade 10 omega link



Highlights

- ✓ Reliable Green Pin® quality and support
- ✓ Superior stock availability of 99%

Description

The Green Pin® Omega Link is a grade 10 omega link. The omega link is used to make an easy and safe connection between the chain and any other components. The Green Pin® Omega Link is available in a range to suit 6 mm up to 16 mm grade 10 chain.

Product details

Productcode	UCO
Material	alloy steel, Grade 10, quenched and tempered
Safety factor	MBL equals 4 x WLL
Finish	painted blue
Certification	2.1 2.2 3.1 MTCa MPIb DGUV

www.greenpin.com



Green Pin® Omega Link

Technical specifications in millimeters

Article code	working load limit	for chain diameter	Net weight	A width	B diameter pin	C width	D length inside	E width bow	F length outside	G thickness	H width outside	I width outside	J thickness	Net weight (kg)
GPUCO6	1,4	6	0.07	14	8	7	25	20	53	13	41	28	6	0.07
GPUCO7	1,95	7	0.18	21	10	9	34	24	72	16	58	32	9	0.18
GPUCO8	2,6	8	0.18	21	10	9	34	24	72	16	58	32	9	0.18
GPUCO10	4	10	0.28	21	13	12	40	31	84	19	67	42	11	0.28
GPUCO13	6,8	13	0.64	28	16	15	51	40	109	23	90	54	14	0.64
GPUCO16	10,3	16	1.21	35	20	19	64	48	135	27	110	68	17	1.21

www.greenpin.com



Green Pin® Omega Link

Technical specifications in inches

Article code	working load limit	for chain diameter (inch)	Net weight	A width (inch)	B diameter pin (inch)	C width (inch)	D length inside (inch)	E width bow (inch)	F length outside (inch)	G thickness (inch)	H width outside (inch)	I width outside (inch)	J thickness (inch)	Net weight (LBS)
GPUCO6	1,4	7/32	0.15	9/16	5/16	9/32	31/32	25/32	2 3/32	1/2	1 5/8	1 3/32	1/4	0.15
GPUCO7	1,95	9/32	0.40	13/16	13/32	11/32	1 11/32	15/16	2 27/32	5/8	2 9/32	1 1/4	11/32	0.40
GPUCO8	2,6	5/16	0.40	13/16	13/32	11/32	1 11/32	15/16	2 27/32	5/8	2 9/32	1 1/4	11/32	0.40
GPUCO10	4	3/8	0.62	13/16	1/2	15/32	1 9/16	1 7/32	3 5/16	3/4	2 5/8	1 21/32	7/16	0.62
GPUCO13	6,8	1/2	1.41	1 3/32	5/8	19/32	2	1 9/16	4 9/32	29/32	3 17/32	2 1/8	9/16	1.41
GPUCO16	10,3	5/8	2.67	1 3/8	25/32	3/4	2 17/32	1 7/8	5 5/16	1 1/16	4 11/32	2 11/16	21/32	2.67

www.greenpin.com



Green Pin® Omega Link

Technical drawing

