



Green Pin® Grab Hook CL GR10

Grade 10 clevis grab hook



Highlights

- ✓ Easy assembly
- ✓ Superior stock availability of 99%
- ✓ Reliable Green Pin® quality and support

Description

The Green Pin® Grab Hook CL is a grade 10 clevis grab hook. Grab hooks are designed with a special curved narrow throat used to "grab" and shorten or hold a length of chain used in general lifting applications. In case of asymmetric load, the grab hook can be used to adjust one or more legs of the sling. The curved design of this throat makes inserting the chain easier and quicker. Once fitted the chain is perfectly secured, because the curved throat avoids the chain to slip out and two pitches support the link properly. The clevis design enables a direct connection to grade 10 chain. When connecting the clevis hook to a master link, use at least 3 grade 10 chain links between the hook and the connecting link fixed on the master link. 100% load capacity. The Green Pin® Grab Hook CL is available in a range to suit 6 mm up to 16 mm grade 10 chain.

Product details

Productcode	UCRC
Material	alloy steel, Grade 10, quenched and tempered
Safety factor	MBL equals 4 x WLL
Finish	painted blue
Certification	2.1 2.2 3.1 MTCa MPIb



Green Pin® Grab Hook CL GR10

Technical specifications in millimeters

Article code	working load limit	for chain diameter	A length	B width	C width outside	D opening	E thickness	F width	G width outside	H length outside	I diameter pin	Net weight (kg)
GPUCRC6	1,4	6	52	7	28	8	24	25	42	91	8	0.35
GPUCRC8	2,6	8	64	9	32	10	37	28	53	108	10	0.35
GPUCRC10	4	10	89	11	42	12	42	39	66	151	13	1.06
GPUCRC13	6,8	13	103	15	54	15	56	40	87	173	16	1.70
GPUCRC16	10,3	16	120	18	67	19	65	58	106	214	20	3.76

www.greenpin.com



Green Pin® Grab Hook CL GR10

Technical specifications in inches

Article code	working load limit	for chain diameter (inch)	A length (inch)	B width (inch)	C width outside (inch)	D opening (inch)	E thickness (inch)	F width (inch)	G width outside (inch)	H length outside (inch)	I diameter pin (inch)	Net weight (LBS)
GPUCRC6	1,4	7/32	2 1/16	9/32	1 3/32	5/16	15/16	31/32	1 21/32	3 19/32	5/16	0.77
GPUCRC8	2,6	5/16	2 17/32	11/32	1 1/4	13/32	1 15/32	1 3/32	2 3/32	4 1/4	13/32	0.77
GPUCRC10	4	3/8	3 1/2	7/16	1 21/32	15/32	1 21/32	1 17/32	2 19/32	5 15/16	1/2	2.34
GPUCRC13	6,8	1/2	4 1/16	19/32	2 1/8	19/32	2 7/32	1 9/16	3 7/16	6 13/16	5/8	3.75
GPUCRC16	10,3	5/8	4 23/32	23/32	2 5/8	3/4	2 9/16	2 9/32	4 3/16	8 7/16	25/32	8.29

www.greenpin.com



Green Pin® Grab Hook CL GR10

Technical drawing

