



Green Pin® Grab Hook E GR10

Grade 10 eye grab hook



Highlights

- ✓ Reliable Green Pin® quality and support
- ✓ Superior stock availability of 99%

Description

The Green Pin® Grab Hook E is a grade 10 eye grab hook. Grab hooks are designed with a special curved narrow throat used to "grab" and shorten or hold a length of chain used in general lifting applications. In case of asymmetric load, the grab hook can be used to adjust one or more legs of the sling. The curved design of this throat makes inserting the chain easier and quicker. Once fitted the chain is perfectly secured, because the curved throat avoids the chain to slip out and two pitches support the link properly. The flat on the eye enables the assembly with an omega link. 100% load capacity. For a safe connection to a master link, check the 'frequently asked questions' below. The Green Pin® Grab Hook E is available in a range to suit 6 mm up to 16 mm grade 10 chain.

Product details

Productcode	UCRO
Material	alloy steel, Grade 10, quenched and tempered
Safety factor	MBL equals 4 x WLL
Finish	painted blue
Certification	2.1 2.2 3.1 MTCa MPIb



Green Pin® Grab Hook E GR10

Technical specifications in millimeters

Article code	working load limit	for chain diameter	A length	B inside length eye	C inside width eye	D opening	E thickness	F width	G width outside	H length outside	I width	J thickness	Net weight (kg)
GPUCRO6	1,4	6	41	24	23	8	24	20	42	94	9	6	0.24
GPUCRO8	2,6	8	53	27	27	10	37	28	53	120	10	8	0.51
GPUCRO10	4	10	67	38	36	12	42	39	66	158	14	10	1.08
GPUCRO13	6,8	13	84	42	42	15	56	40	87	186	16	12	2.00
GPUCRO16	10,3	16	104	53	52	19	65	58	106	236	17	16	2.49

www.greenpin.com



Green Pin® Grab Hook E GR10

Technical specifications in inches

Article code	working load limit	for chain diameter (inch)	A length (inch)	B inside length eye (inch)	C inside width eye (inch)	D opening (inch)	E thickness (inch)	F width (inch)	G width outside (inch)	H length outside (inch)	I width (inch)	J thickness (inch)	Net weight (LBS)
GPUCRO6	1,4	7/32	1 5/8	15/16	29/32	5/16	15/16	25/32	1 21/32	3 11/16	11/32	1/4	0.52
GPUCRO8	2,6	1/4	2 3/32	1 1/16	1 1/32	13/32	1 15/32	1 3/32	2 3/32	4 23/32	13/32	5/16	1.11
GPUCRO10	4	3/8	2 5/8	1 1/2	1 13/32	15/32	1 21/32	1 17/32	2 19/32	6 7/32	9/16	13/32	2.38
GPUCRO13	6,8	1/2	3 5/16	1 21/32	1 21/32	19/32	2 7/32	1 9/16	3 7/16	7 5/16	5/8	15/32	4.41
GPUCRO16	10,3	5/8	4 3/32	2 3/32	2 1/16	3/4	2 9/16	2 9/32	4 3/16	9 3/32	21/32	5/8	5.49

www.greenpin.com



Green Pin® Grab Hook E GR10

Technical drawing

