



Green Pin® Open Spelter Socket CP

Open spelter socket with cotter pin



Highlights

- ✓ High tensile steel
- ✓ Galvanization assures long-term durability
- ✓ Superior stock availability of 99%
- ✓ Reliable Green Pin® quality and support

Description

The Green Pin® Open Spelter Socket CP is an open spelter socket with a spring pin. The socket is made from high tensile steel, while galvanization ensures its long-term durability. The Green Pin® Open Spelter Socket CP is available for wire rope with a diameter from 6-7 up to 108-115 mm.

Product details

Productcode	G-6412
Material	high tensile steel
Finish	hot dipped galvanized
Certification	2.1 2.2 3.1 CE

www.greenpin.com



Green Pin® Open Spelter Socket CP

Technical specifications in millimeters

Article code	Number	minimum breaking load	diameter wire rope	A length	B width	C width inside	D diameter pin	E length inside	F opening	Net weight (kg)
SKGOS007	196	8	6 - 7	109	51	19	16	33	9	0.43
SKGOS010	197	12	8 - 10	124	62	21	21	34	12	0.67
SKGOS013	198	20	11 - 13	143	66	26	25	37	15	0.99
SKGOS016	199	25	14 - 16	172	82	33	30	49	18	1.80
SKGOS018	100	45	18 - 19	205	95	38	35	58	21	3
SKGOS022	104	60	20 - 22	235	110	44	41	68	24	4.63
SKGOS025	108	85	23 - 26	275	130	51	51	75	28	8
SKGOS028	111	105	27 - 30	306	144	57	57	85	32	11
SKGOS032	115	136	31 - 36	338	155	63	64	95	38	15
SKGOS038	118	150	37 - 39	394	178	76	70	127	41	22
SKGOS042	120	170	40 - 42	418	187	76	76	126	44	27
SKGOS045	125	225	43 - 48	468	213	89	89	133	51	41.7



Green Pin® Open Spelter Socket CP

Technical specifications in millimeters

Article code	Number	minimum breaking load	diameter wire rope	A length	B width	C width inside	D diameter pin	E length inside	F opening	Net weight (kg)
SKGOS054	128	280	49 - 54	552	240	101	95	180	57	64
SKGOS057	130	360	55 - 60	598	270	113	108	196	63	88
SKGOS065	132	425	61 - 68	654	303	127	121	212	73	125
SKGOS070	135	460	69 - 75	696	349	133	127	215	79	162
SKGOS075	138	560	76 - 80	737	371	146	133	219	86	187
SKGOS085	140	625	81 - 86	788	391	159	140	228	92	197
SKGOS090	142	720	87 - 93	852	411	171	152	242	99	290
SKGOS100	144	875	94 - 102	914	447	191	178	254	108	400
SKGOS110	146	1200	108 - 115	1160	489	206	193	368	125	660

www.greenpin.com



Green Pin® Open Spelter Socket CP

Technical specifications in inches

Article code	Number	minimum breaking load	diameter wire rope (inch)	A length (inch)	B width (inch)	C width inside (inch)	D diameter pin (inch)	E length inside (inch)	F opening (inch)	Net weight (LBS)
SKGOS007	196	8	1/4	4 9/32	2	3/4	5/8	1 5/16	11/32	0.94
SKGOS010	197	12	3/8	4 7/8	2 7/16	13/16	13/16	1 11/32	15/32	1.49
SKGOS013	198	20	7/16 - 1/2	5 5/8	2 19/32	1 1/32	31/32	1 15/32	19/32	2.18
SKGOS016	199	25	9/16 - 5/8	6 25/32	3 7/32	1 5/16	1 3/16	1 15/16	23/32	3.97
SKGOS018	100	45	3/4	8 1/16	3 3/4	1 1/2	1 3/8	2 9/32	13/16	6.62
SKGOS022	104	60	7/8	9 1/4	4 11/32	1 23/32	1 5/8	2 11/16	15/16	10.2
SKGOS025	108	85	1	10 13/16	5 1/8	2	2	2 15/16	1 3/32	17.6
SKGOS028	111	105	1 1/8	12 1/16	5 21/32	2 1/4	2 1/4	3 11/32	1 1/4	24.3
SKGOS032	115	136	1 1/4 - 1 3/8	13 5/16	6 3/32	2 15/32	2 17/32	3 3/4	1 1/2	33.1
SKGOS038	118	150	1 1/2	15 1/2	7	3	2 3/4	5	1 5/8	48.5
SKGOS042	120	170	1 5/8	16 15/32	7 3/8	3	3	4 31/32	1 23/32	59.5
SKGOS045	125	225	1 3/4 - 1 7/8	18 7/16	8 3/8	3 1/2	3 1/2	5 1/4	2	92.0



Green Pin® Open Spelter Socket CP

Technical specifications in inches

Article code	Number	minimum breaking load	diameter wire rope (inch)	A length (inch)	B width (inch)	C width inside (inch)	D diameter pin (inch)	E length inside (inch)	F opening (inch)	Net weight (lbs)
SKGOS054	128	280	2 - 2 1/8	21 23/32	9 7/16	3 31/32	3 3/4	7 3/32	2 1/4	141
SKGOS057	130	360	2 1/4 - 2 3/8	23 17/32	10 5/8	4 7/16	4 1/4	7 23/32	2 15/32	194
SKGOS065	132	425	2 1/2 - 2 5/8	25 3/4	11 15/16	5	4 3/4	8 11/32	2 7/8	276
SKGOS070	135	460	2 3/4 - 2 7/8	27 13/32	13 3/4	5 1/4	5	8 15/32	3 1/8	357
SKGOS075	138	560	3 - 3 1/8	29 1/32	14 19/32	5 3/4	5 1/4	8 5/8	3 3/8	412
SKGOS085	140	625	3 1/4 - 3 3/8	31 1/32	15 13/32	6 1/4	5 1/2	8 31/32	3 5/8	434
SKGOS090	142	720	3 1/2 - 3 5/8	33 17/32	16 3/16	6 23/32	5 31/32	9 17/32	3 29/32	639
SKGOS100	144	875	3 3/4 - 4	35 31/32	17 19/32	7 17/32	7	10	4 1/4	882
SKGOS110	146	1200	4 1/4 - 4 1/2	45 21/32	19 1/4	8 1/8	7 19/32	14 1/2	4 29/32	1455

www.greenpin.com



Technical drawing

Green Pin® Open Spelter Socket CP

