



Green Pin® Weld-On Transport Ring

Weld-on transport ring



Highlights

- ✓ Reliable Green Pin® quality and support
- ✓ Superior stock availability of 99%

Description

The Green Pin® Weld-On Transport Ring is a grade 8 weld-on transport ring. The base is forged from St 52-3 steel and the ring in 23MN. Welding must only be carried out by a qualified welder in accordance with DIN 8563 resp. 15429. The surfaces to be welded must be clean, without oil, grease or paint. Welding instructions are supplied with each delivery. The transport rings are delivered without springs. The Green Pin® Weld-On Transport Ring is available in a range with a working load limit from 1.2 t. up to 15.5 t.

Product details

Productcode	PAS
Material	base: mild steel, ring: alloy steel, grade 8, quenched and tempered
Safety factor	MBL equals 4 x WLL
Finish	painted white
Certification	2.1 2.2 3.1 MTCa MPIb CE
Note	welding must be done in accordance with DIN 5817 resp. 15429, by a qualified welder according to EN 287-1

www.greenpin.com



Green Pin® Weld-On Transport Ring

Technical specifications in millimeters

Article code	working load limit	A diameter	B width inside	C length inside	D length base	E height base	F length	Net weight (kg)
GPPAS1	1,2	13	40	41	35	28	82	0.40
GPPAS3	3,2	18	45	47	42	33	98	0.77
GPPAS5	5,4	22	55	57	49	42	121	1.42
GPPAS8	8,2	26	70	67	64	50	143	2.50
GPPAS12	12,8	28	85	90	78	55	173	3.70
GPPAS15	15,5	34	99	93	90	63	190	5.67

www.greenpin.com



Green Pin® Weld-On Transport Ring

Technical specifications in inches

Article code	working load limit	A diameter (inch)	B width inside (inch)	C length inside (inch)	D length base (inch)	E height base (inch)	F length (inch)	Net weight (LBS)
GPPAS1	1,2	1/2	1 9/16	1 5/8	1 3/8	1 3/32	3 7/32	0.88
GPPAS3	3,2	23/32	1 25/32	1 27/32	1 21/32	1 5/16	3 27/32	1.70
GPPAS5	5,4	7/8	2 5/32	2 1/4	1 15/16	1 21/32	4 3/4	3.13
GPPAS8	8,2	1 1/32	2 3/4	2 5/8	2 17/32	1 31/32	5 5/8	5.51
GPPAS12	12,8	1 3/32	3 11/32	3 17/32	3 3/16	2 5/32	6 13/16	8.16
GPPAS15	15,5	1 11/32	3 29/32	3 21/32	3 17/32	2 15/32	7 15/32	12.5

www.greenpin.com



Green Pin® Weld-On Transport Ring

Technical drawing

