



Green Pin® Self Locking Hook CL GR10

Grade 10 clevis self locking hook



Highlights

- ✓ Reliable Green Pin® quality and support
- ✓ Superior stock availability of 99%

Description

The Green Pin® Self-Locking Hook CL is a grade 10 clevis self-locking hook. The self-locking hook locks automatically as soon as it is brought under tension. To release the load the user must manually unlock the hook, which prevents unintended release. This hook brings a full safety for lifting as the latch cannot be removed. The clevis design enables a direct connection to grade 10 chain. The Green Pin® Self-Locking Hook CL is available in a range to suit 6 mm up to 20 mm grade 10 chain.

Product details

Productcode	UXLC
Material	alloy steel, Grade 10, quenched and tempered
Safety factor	MBL equals 4 x WLL
Finish	painted blue
Certification	2.1 2.2 3.1 MTCa MPIb DGUV

www.greenpin.com



Green Pin® Self Locking Hook CL GR10

Technical specifications in millimeters

Article code	working load limit	for chain diameter	A length	B width	C opening hook	D thickness	E width	F width outside	G width outside	H length	I diameter pin	Net weight (kg)
GPUXLC0	1,4	6	93	7	32	17	24	28	75	130	8	0.49
GPUXLC1	2,6	8	116	9	43	24	28	32	91	161	10	0.91
GPUXLC2	4	10	144	11	48	32	34	42	112	201	13	1.74
GPUXLC3	6,8	13	169	15	63	37	44	54	141	242	16	3.33
GPUXLC4	10,3	16	204	18	75	43	56	68	182	296	20	6.75
GPUXLC5	16	20	234	22	90	52	62	82	205	341	24	9.57

www.greenpin.com



Green Pin® Self Locking Hook CL GR10

Technical specifications in inches

Article code	working load limit	for chain diameter (inch)	A length (inch)	B width (inch)	C opening hook (inch)	D thickness (inch)	E width (inch)	F width outside (inch)	G width outside (inch)	H length (inch)	I diameter pin (inch)	Net weight (LBS)
GPUXLC0	1,4	7/32	3 21/32	9/32	1 1/4	21/32	15/16	1 3/32	2 15/16	5 1/8	5/16	1.08
GPUXLC1	2,6	5/16	4 9/16	11/32	1 11/16	15/16	1 3/32	1 1/4	3 19/32	6 11/32	13/32	2.01
GPUXLC2	4	3/8	5 21/32	15/32	1 7/8	1 1/4	1 11/32	1 21/32	4 13/32	7 29/32	1/2	3.84
GPUXLC3	6,8	1/2	6 21/32	19/32	2 15/32	1 15/32	1 23/32	2 1/8	5 9/16	9 17/32	5/8	7.34
GPUXLC4	10,3	5/8	8 1/32	3/4	2 15/16	1 11/16	2 7/32	2 11/16	7 5/32	11 21/32	25/32	14.9
GPUXLC5	16	3/4	9 7/32	29/32	3 17/32	2 1/16	2 7/16	3 7/32	8 1/16	13 7/16	15/16	21.1

www.greenpin.com



Green Pin® Self Locking Hook CL GR10

Technical drawing

