



Green Pin® Fishing Dee Shackle FP

Dee shackle with square sunken hole screw pin (flush pin)



Highlights

- ✓ No protruding parts so does not damage nets
- ✓ Assembled with sunken hole key
- ✓ Galvanization assures long-term durability
- ✓ Suitable for one-leg systems only
- ✓ Chamber in the shackle eye hides the screw thread and reduces wear

Description

The Green Pin® Fishing Dee Shackle FP is a dee shackle with a square sunken hole screw pin (flush pin). The Green Pin® Fishing Dee Shackle FP contains no protruding parts so it does not damage or get caught in fishing nets. Another important feature is that the chamber in the shackle eye hides the screw thread and reduces wear of rope. Galvanization of the bow shackle ensures its long-term durability. The Green Pin® Fishing Dee Shackle FP is suitable for one-leg lifting systems only and can be assembled with the help of the Green Pin® Sunken Hole Key. The shackle is available in a range with a working load limit from 2 up to 17 ton.

Product details

Productcode	G-4159
Material	bow and pin high tensile steel, Grade 6, quenched and tempered
Safety factor	MBL equals 6 x WLL
Finish	hot dipped galvanized
Certification	2.1 2.2 3.1 MTCa CE
Standard	EN 13889 and meets performance requirements of US Fed. Spec. RR-C-271, Grade A
Note	key for unscrewing the pin must be ordered separately



Green Pin® Fishing Dee Shackle FP

Technical specifications in millimeters

Article code	working load limit	Net weight	A diameter bow	B diameter pin	C diameter eye	D width eye	E width inside	F length inside	G length	H length bolt	I size hole	Net weight (kg)
GPGDVV13	2	0.29	13,5	16	34	13	22	43	82	51	11	0.29
GPGDVV16	3,25	0.60	16	19	40	16	27	51	97	63	11	0.60
GPGDVV19	4,75	0.98	19	22	46	19	31	59	112	74	11	0.98
GPGDVV22	6,5	1.26	22	25	52	22	36	73	134	85	13	1.26
GPGDVV25	8,5	2.14	25	28	59	25	43	85	154	99	13	2.14
GPGDVV28	9,5	2.58	28	32	67	28	47	90	168	110	17	2.58
GPGDVV32	12	3.49	32	35	73	32	51	94	180	122	17	3.49
GPGDVV38	17	6.22	38	42	88	38	60	127	230	145	17	6.22

www.greenpin.com



Green Pin® Fishing Dee Shackle FP

Technical specifications in inches

Article code	Net weight	A diameter bow (inch)	B diameter pin (inch)	C diameter eye (inch)	D width eye (inch)	E width inside (inch)	F length inside (inch)	G length (inch)	H length bolt (inch)	I size hole (inch)	Net weight (LBS)
GPGDVV13	0.65	1/2	5/8	1 11/32	1/2	7/8	1 11/16	3 7/32	2	7/16	0.65
GPGDVV16	1.33	5/8	3/4	1 9/16	5/8	1 1/16	2	3 13/16	2 15/32	7/16	1.33
GPGDVV19	2.15	3/4	7/8	1 13/16	3/4	1 7/32	2 5/16	4 13/32	2 29/32	7/16	2.15
GPGDVV22	2.77	7/8	1	2 1/16	7/8	1 13/32	2 7/8	5 9/32	3 11/32	1/2	2.77
GPGDVV25	4.72	1	1 1/8	2 5/16	31/32	1 11/16	3 11/32	6 1/16	3 29/32	1/2	4.72
GPGDVV28	5.68	1 1/8	1 1/4	2 5/8	1 3/32	1 27/32	3 17/32	6 9/16	4 11/32	21/32	5.68
GPGDVV32	7.69	1 1/4	1 3/8	2 7/8	1 1/4	2	3 11/16	7 3/32	4 13/16	21/32	7.69
GPGDVV38	13.7	1 1/2	1 5/8	3 15/32	1 1/2	2 3/8	5	9 1/16	5 23/32	21/32	13.7

www.greenpin.com



Green Pin® Fishing Dee Shackle FP

Technical drawing

