



## Green Pin® Open Wedge Socket CP

Open wedge socket with cotter pin



### Highlights

- ✓ High tensile steel
- ✓ Galvanization assures long-term durability
- ✓ Superior stock availability of 99%
- ✓ Reliable Green Pin® quality and support

### Description

The Green Pin® Open Wedge Socket CP is an open wedge socket with a cotter (split) pin. The socket is made from high tensile steel, while galvanization ensures its long-term durability. Green Pin® Open Wedge Socket CP is available for wire rope with a diameter from 7-8 up to 81-86 mm.

### Product details

<b>Productcode</b>	G-6413
<b>Material</b>	high tensile steel
<b>Finish</b>	hot dipped galvanized
<b>Certification</b>	<b>2.1 2.2 3.1 CE</b>
<b>Standard</b>	generally to EN 13411-6

[www.greenpin.com](http://www.greenpin.com)



## Green Pin® Open Wedge Socket CP

### Technical specifications in millimeters

Article code	Number	minimum breaking load	diameter wire rope	A length	B length to center pin	C width	D width inside	E diameter pin	F thickness side plates	G diameter eye	Net weight (kg)
SKGOW008	0.25	8	7 - 8	128	110	51	18	16	9	36	0.79
SKGOW010	0.5	12	9 - 10	165	142	62	20,5	21	11	46	1.50
SKGOW013	1	20	11 - 13	175	146	66	25	25	12	57	2.40
SKGOW016	2	25	14 - 16	211	176	82	31	30	15	70	4
SKGOW019	3	40	18 - 19	252	212	95	38	35	16	80	7.40
SKGOW022	4	55	20 - 22	288	240	110	44	41	19	95	11
SKGOW025	5	75	24 - 26	329	274	130	51	51	22	110	16
SKGOW028	6	90	27 - 29	375	310	144	57	57	25	130	22
SKGOW032	7	110	30 - 32	423	350	155	63	64	28	146	31
SKGOW035	8	125	34 - 36	474	400	163	69	64	28	148	39
SKGOW038	9	150	37 - 39	527	450	178	76	70	30	153	50.0
SKGOW040	10	170	40 - 42	580	500	187	76	76	33	160	66



## Green Pin® Open Wedge Socket CP

### Technical specifications in millimeters

Article code	Number	minimum breaking load	diameter wire rope	A length	B length to center pin	C width	D width inside	E diameter pin	F thickness side plates	G diameter eye	Net weight (kg)
SKGOW045	11	225	43 - 48	650	550	213	89	89	39	186	96
SKGOW050	12	280	49 - 52	745	640	240	101	95	46	194	130
SKGOW056	13	360	54 - 58	785	660	275	114	108	54	250	180
SKGOW065	14	425	60 - 68	970	835	300	127	121	60	270	275
SKGOW075	15	460	72 - 76	1150	1000	355	146	133	76	300	440
SKGOW085	16	625	81 - 86	1310	1160	375	159	140	79	300	510

[www.greenpin.com](http://www.greenpin.com)



## Green Pin® Open Wedge Socket CP

### Technical specifications in inches

Article code	Number	minimum breaking load	diameter wire rope (inch)	A length (inch)	B length to center pin (inch)	C width (inch)	D width inside (inch)	E diameter pin (inch)	F thickness side plates (inch)	G diameter eye (inch)	Net weight (LBS)
SKGOW008	0.25	8	5/16	5 1/32	4 11/32	2	23/32	5/8	11/32	1 13/32	1.73
SKGOW010	0.5	12	3/8	6 1/2	5 19/32	2 7/16	13/16	13/16	7/16	1 13/16	3.31
SKGOW013	1	20	1/2	6 7/8	5 3/4	2 19/32	31/32	31/32	15/32	2 1/4	5.29
SKGOW016	2	25	5/8	8 5/16	6 15/16	3 7/32	1 7/32	1 3/16	19/32	2 3/4	8.82
SKGOW019	3	40	3/4	9 29/32	8 11/32	3 3/4	1 1/2	1 3/8	5/8	3 5/32	16.3
SKGOW022	4	55	7/8	11 11/32	9 7/16	4 11/32	1 23/32	1 5/8	3/4	3 3/4	24.3
SKGOW025	5	75	1	12 15/16	10 25/32	5 1/8	2	2	7/8	4 11/32	35.3
SKGOW028	6	90	1 1/8	14 3/4	12 7/32	5 21/32	2 1/4	2 1/4	31/32	5 1/8	48.5
SKGOW032	7	110	1 1/4	16 21/32	13 25/32	6 3/32	2 15/32	2 17/32	1 3/32	5 3/4	68.4
SKGOW035	8	125	1 3/8	18 21/32	15 3/4	6 13/32	2 23/32	2 17/32	1 3/32	5 13/16	86.0
SKGOW038	9	150	1 1/2	20 3/4	17 23/32	7	3	2 3/4	1 3/16	6 1/32	110
SKGOW040	10	170	1 5/8	22 27/32	19 11/16	7 3/8	3	3	1 5/16	6 5/16	146



## Green Pin® Open Wedge Socket CP

### Technical specifications in inches

Article code	Number	minimum breaking load	diameter wire rope (inch)	A length (inch)	B length to center pin (inch)	C width (inch)	D width inside (inch)	E diameter pin (inch)	F thickness side plates (inch)	G diameter eye (inch)	Net weight (LBS)
SKGOW045	11	225	1 3/4 - 1 7/8	25 19/32	21 21/32	8 3/8	3 1/2	3 1/2	1 17/32	7 5/16	212
SKGOW050	12	280	2	29 11/32	25 3/16	9 7/16	3 31/32	3 3/4	1 13/16	7 5/8	287
SKGOW056	13	360	2 1/4	30 29/32	25 31/32	10 13/16	4 1/2	4 1/4	2 1/8	9 27/32	397
SKGOW065	14	425	2 1/2	38 3/16	32 7/8	11 13/16	5	4 3/4	2 3/8	10 5/8	606
SKGOW075	15	460	3	45 9/32	39 3/8	13 31/32	5 3/4	5 1/4	3	11 13/16	970
SKGOW085	16	625	3 1/4 - 3 3/8	51 9/16	45 21/32	14 3/4	6 1/4	5 1/2	3 1/8	11 13/16	1125

[www.greenpin.com](http://www.greenpin.com)



# Green Pin® Open Wedge Socket CP

## Technical drawing

